









# 425R

Beautifully crafted compact and affordable without compromising on performance and efficiency.

Small in size, the Kalora 425R is the perfect investment for a cottage, holiday house or man cave.

#### THE BENEFITS

1

### **SMALL BUT MIGHTY**

Ideal heating solution for a cottage, mancave or holiday house



#### **DUAL AIR CONTROLS**

Achieve a better, more efficient burn with dual air controls\*



### **KEEPING IT TRADITIONAL**

Cast Iron door and stylish features enables the 425R to create a cosy ambiance like no other.

## **TECHNICAL SPECIFICATIONS**



Heat up to 140m<sup>2</sup>



Firebox: 440w x 330d x 428h



Efficiency 63%



Radiant heating - no fan



Heater: 500w x 470d x 735h



Emissions 1.5g/kg



5mm heavy duty firebox



Radiant cooking surface



kW Rating 15.6kW

15 Fifteen year firebox warranty



Log size to 300mm

#### WHAT YOU WILL NEED

# FLUE KIT OPTIONS

Default matte black flue kit SG010400034
Default black mesh flue kit FFK64M2

#### **ROOF FLASHING OPTIONS**

Metal Roof Flashing FF036
Tile Roof Flashing FF037

#### **CONSUMABLE ITEMS**

Firebrick Set SP14008


Baffle SP14017

Brick Retainer SP14007


Glass Retainer SP14015

Rope Seal SG030300004

HEARTH OPTIONS: Straight 1050mm x 1200mm Corner 1250mm x 1250mm



FHPS105120



FHPS125C

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

# **MUST HAVES**



Forge Urban XL Wood Storage



Forge Mahogany Fire Tool Set



Forge Dry Glass Cleaner



Forge Exo Fan





Introducing our revolutionary Chalet range of wood fires— the epitome of affordability and functionality. Unleash the warmth of high-end features without breaking the bank.

Elevate your home with a stylish, cost-effective heating solution that embodies both comfort and sophistication.

#### THE BENEFITS

# MODERN TAKE ON A CLASSIC

Sharp lines, flat finish, and square shape bring a contemporary edge to the timeless comfort it provides.



#### PEACE OF MIND

Know that we back our products; with Kalora Chalet you'll get a 10 firebox warranty.



#### IMPROVED COMFORT

Heat up rooms quickly and maintain a comfortable temperature with convection fan forced heating,

#### **TECHNICAL SPECIFICATIONS**



Heat up to 200m<sup>2</sup>



Firebox: 500w x 360d x 300h



Efficiency 67%



Convection heating - fan forced



Heater: 595w x 509d x 724h



Emissions 1.1g/kg



10

5.5mm heavy duty firebox

Ten year firebox warranty



Log size to 300mm



kW Rating 7.9kW

# WHAT YOU WILL NEED


# **FLUE KIT OPTIONS**


Default matte black flue kit SG010400034 Default black mesh flue kit FFK64M2

#### **ROOF FLASHING OPTIONS**

Metal Roof Flashing Tile Roof Flashing

HEARTH OPTIONS: Straight 1050mm x 1200mm Corner 1250mm x 1250mm





FHPS1425C

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

# **MUST HAVES**



Forge Hexagon 850 Corten Wood Storage



Forge Iron Grey Fire Tool Set



Senotherm Metallic Black Paint



Forge Corner Heater Guard





Introducing our revolutionary Chalet range of wood fires—an epitome of affordability and functionality. Unleash the warmth of high-end features without breaking the bank.

Elevate your home with a stylish, cost-effective heating solution that embodies both comfort and sophistication.

#### THE BENEFITS

1

#### **GENEROUS CAPACITY**

Experience ample space for larger logs, allowing for longer burning times and fewer reloads.



### AFFORDABLE QUALITY

Enjoy the warmth of quality wood fires without straining your budget.



### ONE FOR THE ENVIRONMENT

Efficiently heating large areas reduces energy use and environmental impact.

### **TECHNICAL SPECIFICATIONS**

Heat up to 300m<sup>2</sup>



Firebox: 600w x 400d x 360h



Efficiency 62%



Convection heating - fan forced



Heater: 695w x 569d x 767h



Emissions 1.3g/kg



5.5mm heavy duty firebox



Log size to 350mm



kW Rating 10.1kW

10

Ten year firebox warranty


#### WHAT YOU WILL NEED


# FLUE KIT OPTIONS

Default matte black flue kit 50010400034 FFK64M2 Default black mesh flue kit

#### **ROOF FLASHING OPTIONS**

Metal Roof Flashing FF036 Tile Roof Flashing FF037 HEARTH OPTIONS: Straight 1050mm x 1200mm Corner 1425mm x 1425mm





FHPS105120

FHPS1425C

#### Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

# **MUST HAVES**



Forge Hexagon 850 Corten Wood Storage



Forge Iron Grey Fire Tool Set



Senotherm Metallic Black Paint



Forge Corner Heater Guard







# 500C

Create an irresistible atmosphere of beauty and warmth with this beautifully crafted fireplace.

The fan forced convection heating allows minimal clearance requirements which makes it a great choice for homes where space and proximity to combustible items presents a challenge.

#### THE BENEFITS



**WE'VE GOT YOU COVERED**15 year firebox warranty means quality you can trust

# 2

#### IT'S IN THE DETAILS

Stunning oak finishes, stainless steel highlights and classical design make this wood fire a point of discussion in any room.



#### MINIMAL CLEARANCES

This is the perfect solution for any home where space and proximity to combustible items present a challenge,

## **TECHNICAL SPECIFICATIONS**



Heat up to 200m<sup>2</sup>



Convection heating - fan forced



5.5mm heavy duty firebox



Fifteen year firebox warranty



Firebox: 500w x 330d x 397h

Heater: 672w x 490d x 720h

Log size to 300mm



Efficiency 67%



Emissions 1.1g/kg



kW Rating 7.9kW

#### WHAT YOU WILL NEED

#### **FLUE KIT OPTIONS**

Default matte black flue kit SC010400034
Default black mesh flue kit FFK64M2

#### **ROOF FLASHING OPTIONS**

Metal Roof Flashing FF036
Tile Roof Flashing FF037

#### **CONSUMABLE ITEMS**

 Firebrick Set
 SP20009

 Baffle
 SP20033

 Brick Retainer
 SP20035


 Class Retainer
 SP20017

 Rope Seal
 SC030300006

HEARTH OPTIONS: Straight 1050mm x 1200mm Corner 1250mm x 1250mm

1050mm

FHPS105120



FHPS125C

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

# **MUST HAVES**

 $Complete \ your \ setup \ with \ a \ comprehensive \ range \ of \ Forge-designed \ fireside \ accessories, \ cleaning, \ and \ maintenance \ products.$ 



Forge 500 Hexagon Wood Storage



Forge Ellipse Fire Tool Set



Forge Gloves



Forge Large Safety Guard







# 600C

Love the romance of an open fire and the cosy warmth of an efficient slow combustion wood heater?

We found your match.

The largest wood fire in the Kalora range, the 600C is a powerhouse with a fan assisted convection capable of heating homes and large open plan spaces.

#### THE BENEFITS

### **MAXIMISED BURN TIMES**

Keep your home warmer for longer with a large 600w x 400d firebox



#### **ROBUST CONSTRUCTION**

Built to withstand the rigors of regular use, providing long-lasting durability and reliability.



# **CUSTOMISE YOUR COMFORT**

3 adjustable fan speeds enables you to control the intesity of the warmth.

#### **TECHNICAL SPECIFICATIONS**



Heat up to 300m<sup>2</sup>



Convection heating - fan forced



5.5mm heavy duty firebox





Fifteen year firebox warranty



Firebox: 600w x 400d x 430h



Heater: 772w x 565d x 792h



Log size to 350mm



Efficiency 62%



Emissions 1.3g/kg



kW Rating 10.1kW

#### WHAT YOU WILL NEED

#### **FLUE KIT OPTIONS**

Default matte black flue kit SG010400034 Default black mesh flue kit FFK64M2


#### **ROOF FLASHING OPTIONS**

Metal Roof Flashing FF036 Tile Roof Flashing FF037


#### CONSUMABLE ITEMS

Firebrick Set SP30010 Baffle SP30033 **Brick Retainer** SP30035 SP30017 Glass Retainer SG030300006 Rope Seal

HEARTH OPTIONS: Straight 1050mm x 1200mm Corner 1425mm x 1425mm



FHPS105120



1425mm

FHPS1425C

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

# **MUST HAVES**



Forge Oblique Wood Storage



Forge Ellipse Fire Tool Set



Forge Easy Soot Remover



Forge 6" Flue Brush







# 500BX

Say goodbye to the winter blues this year and look forward to toasty nights by the fire with your loved ones.

Get the amazing performance and quality you expect from a Kalora 500 with the added advantage of a wood storage pedestal, ideal for this nights when it is just too cold to go outside for more wood.

#### THE BENEFITS

1

#### **KEEPING YOU WARM**

Easily heat up to 200m<sup>2</sup> with the generously sized 500BX



#### **NEAT AND TIDY**

No need to worry about extra wood storage when you've got the woodbox pedestal included.



# **QUALITY GUARENTEED**

5.5mm heavy duty firebox with a 15 year warranty\* and 8mm heavy duty steel baffle plate,

### **TECHNICAL SPECIFICATIONS**

Heat up to 200m<sup>2</sup>



Convection heating - fan forced



5.5mm heavy duty firebox



Fifteen year firebox warranty



Firebox: 500w x 330d x 397h



Heater: 672w x 490d x 852h



In-built wood storage



Log size to 300mm



Efficiency 67%



Emissions 1.1g/kg



kW Rating 7.9kW

#### WHAT YOU WILL NEED

# **FLUE KIT OPTIONS**

Default matte black flue kit SG010400034 Default black mesh flue kit FFK64M2


# **ROOF FLASHING OPTIONS**


Metal Roof Flashing FF036 Tile Roof Flashing

# **CONSUMABLE ITEMS**

Firebrick Set SP20009 SP20033 Baffle SP20035 Brick Retainer Glass Retainer SP20017 Rope Seal SG030300006

HEARTH OPTIONS: Straight 1050mm x 1200mm Corner 1250mm x 1250mm





Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations. Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations

# **MUST HAVES**

Complete your setup with a comprehensive range of Forge-designed fireside accessories, cleaning, and maintenance products.



Forge Zero 1000 Wood Storage



Forge Valyrian Fire Tool Set



Forge Moisture Meter



Forge Rope Seal Kit

\*Warranty is covered as stated in manual and is subject to warranty criteria.



# 600BX



# 600BX

Love the romance of an open fire and the cosy warmth of an efficient slow combustion wood heater?

We found your match.

The largest wood fire in the Kalora range, the 600C is a powerhouse with a fan assisted convection capable of heating homes and large open plan spaces.

#### THE BENEFITS



BIG HEAT WHERE YOU NEED IT 600BX is the largest of the Kalora range, boasting a huge 600w x 400d firebox



#### MINIMALIST DESIGN

No need for additional wood storage - the 600BX has one built in.



#### **ENHANCED EFFICIENCY**

The 600BX boasts an average efficiency of 62%, ensuring that you get the most out of every wood burn.

#### TECHNICAL SPECIFICATIONS



Heat up to 300m<sup>2</sup>



Firebox: 600w x 400d x 430h



Efficiency 62%



Convection heating - fan forced



Heater: 772w x 565d x 890h



Emissions 1.3g/kg



5.5mm heavy duty firebox



In-built wood storage



kW Rating 10.1kW

15

Fifteen year firebox warranty



Log size to 350mm

#### WHAT YOU WILL NEED

#### **FLUE KIT OPTIONS**

Default matte black flue kit SG010400034
Default black mesh flue kit FFK64M2

#### **ROOF FLASHING OPTIONS**

Metal Roof Flashing FF036
Tile Roof Flashing FF037

#### CONSUMABLE ITEMS

 Firebrick Set
 SP30010


 Baffle
 SP30033

 Brick Retainer
 SP30035

 Class Retainer
 SP30017

 Rope Seal
 SC030300006

HEARTH OPTIONS: Straight 1050mm x 1200mm Corner 1425mm x 1425mm



FHPS105120

1425mm

1425mm

FHPS1425C


Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

# **MUST HAVES**

 $Complete \ your \ setup \ with \ a \ comprehensive \ range \ of \ Forge-designed \ fireside \ accessories, \ cleaning, \ and \ maintenance \ products.$ 



Forge Hexagon 850 Corten Wood Storage



Forge Iron Grey Fire Tool Set



Senotherm Metallic Black Paint



Forge Corner Heater Guard



# **Fusion**



# **Fusion**

Traditional living at it's finest. Fusion is the result of the synergy that can be achieved when you combine the features of a modern high performance wood heater with the nostalgic feel and benefits of a traditional wood fired stove.

#### THE BENEFITS

### TEMPERATURE CONTROLLED OVEN

Manage cooking effortlessly with the temperature-controlled, spacious baking oven.



### **DURABLE CONSTRUCTION**

Built to last and crafted with heavy-duty steel components providing relaible performance for years to come.



#### VERSATILE HEATING

With the capability to heat up to 200m<sup>2</sup>, The Fusion ensures warmth spreads efficiently throughout your living space,

#### **TECHNICAL SPECIFICATIONS**

兪

Heat up to 200m<sup>2</sup>



Firebox: 420w x 340d x 380h



Fifteen year firebox warranty



Radiant heating - no fan



Heater: 650w x 600d x 861h



Log size to 300mm

Corner 1250mm x 1250mm



5mm heavy duty firebox



Oven: 440w x 350d x 230h



Optional hot water jacket



Radiant cooking surface



Large baker's oven

#### WHAT YOU WILL NEED

#### **FLUE KIT OPTIONS**

Default matte black flue kit SG010400034 Default black mesh flue kit FFK64M2


## **ROOF FLASHING OPTIONS**


Metal Roof Flashing FF036 Tile Roof Flashing FF037

#### **CONSUMABLE ITEMS**

SP50116 Firebox liner (Left) Firebricks SP50135 Firebox liner (Right) SP50115 Brick retainer SP50127 Firebox Bottom Plate SP50130 Temperature Gauge SP50109 Glass Retainer Firebox Door SG030700631 Hot Plates SP0121

Glass Retainer Oven Door SG030700632 Rope Seal SG030300004 HEARTH OPTIONS: Straight 1050mm x 1050mm





FHPS105 FHPS125C

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

# **MUST HAVES**



Forge Hinterland Wood Storage



Forge Valyrian Fire Tool Set



Forge Moisture Meter



Forge Exo Fan



# **Urban PT**



# **Urban PT**

Bring luxury to any size home with the Kalora Urban PT, a unique upright wood fire meticulously designed and engineered in Australia for our unique conditions.

With the Urban PT's eye-catching aesthetics, user-centric features, and innovative interchangeable base system you'll enjoy clean, low-emission combustion and contemporary styling that defines modern elegance.

#### THE BENEFITS

1

# SLIMLINE DESIGN

The stylish upright configuration ensures the Urban PT can effortlessly blend into any space.



# IMPRESSIVELY EFFICIENT

The Urban PT boasts emissions of less than half the standard, ensuring a cleaner, greener choice for you and the world.



#### **ELEVATE THE LOOK**

Choose to mount the Urban PT on the Plinth with 3 different placing options or create the minimalist dream with the woodbox instead.

## **TECHNICAL SPECIFICATIONS**



Heat up to 200m<sup>2</sup>



Optional 3 Speed wireless fan



5mm heavy duty firebox



Fifteen year firebox warranty



Firebox: 365w x 320d x 500h



Heater: 518w x 586d x 720h



Log size to 300mm



Efficiency 68%



Emissions 0.5g/kg



kW Rating 7.3kW

#### WHAT YOU WILL NEED

### FLUE KIT OPTIONS


Default matte black flue kit SG010400034
Default black mesh flue kit FFK64M2

#### **ROOF FLASHING OPTIONS**


Metal Roof Flashing FF036
Tile Roof Flashing FF037

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

#### HEARTH OPTIONS: Straight 1050mm x 1200mm Corner 1250mm x 1250mm







FHPS125C

# **DESIGN OPTIONS**







URBAN PT DEPICTED WITH OPTIONAL PLINTH



# **Urban LS**



# **Urban LS**

Immerse yourself in fireside luxury with the Kalora Urban LS wood fire, meticulously designed and engineered in Australia for our unique conditions.

Elevate your home with the innovative eye-catching aesthetics and user-centric features. Enjoy clean, low-emission combustion and contemporary styling that defines modern elegance.

#### THE BENEFITS

1

# **HEAT PROJECTION**

Vermiculite liners will give you a more efficient, cleaner burn, projecting heat into the room.



#### YOUR FIRE, YOUR WAY

Choose from 4 base options; Plinth, woodbox, pedestal or create your own custom concrete plinth.



#### WARMER FOR LONGER

This massive firebox gives you the ability to have your fire burning for an impressive 12 - 14 hours\*.

#### **TECHNICAL SPECIFICATIONS**



Heat up to 250m<sup>2</sup>



optional 3 Speed wireless fan control



5mm heavy duty firebox



Fifteen year firebox warranty



Firebox: 795w x 317d x 328h



Heater: 950w x 586d x 504h



Log size to 350mm



Efficiency 61%



Emissions 0.7g/kg



kW Rating 9.0kW

#### WHAT YOU WILL NEED


## FLUE KIT OPTIONS

Default matte black flue kit SG010400034
Default black mesh flue kit FFK64M2

### **ROOF FLASHING OPTIONS**

Metal Roof Flashing FF036
Tile Roof Flashing FF037

HEARTH OPTIONS: Straight 1200mm x 1200mm



Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

# **DESIGN OPTIONS**



URBAN LS DEPICTED WITH OPTIONAL PEDESTAL



URBAN LS DEPICTED WITH OPTIONAL PLINTH



\*Low burn time estimates based on user following instruction manual.



# Accent



# Accent

The Kalora Accent inbuilt wood heater has been specifically designed for installation into existing masonry fireplaces overcoming the inefficiencies associated with traditional open fires such as excessive fuel burn, uncontrollable heat levels and energy that is lost straight out of the chimney.

The Accent also accommodates for those who love the look of an inbuilt wood heater but do not have an existing open fireplace. Our zero clearance solutions avail the opportunity to install the Kalora Accent into a timber-framed wall with the need for only minimal clearances.

#### THE BENEFITS



#### PERFECT FOR THE PRE-EXISTING

Designed to fit into existing masonry fireplaces to overcome inefficiencies giving you more control.



#### ZERO CLEARANCE OPTION

Allows you to install the Accent into a timber-framed wall with minimal clearances.



#### MINIMALIST DESIGN

Clean lines and minimalist features, paired with gentle touch controls, allow the flame to be the focal point of the room.

#### **TECHNICAL SPECIFICATIONS**



Heat up to 280m<sup>2</sup>



Firebox: 600w x 480d x 354h



Efficiency 61%



To suit mid or floor mount install

Fifteen year firebox warranty



Heater: 672w x 480d x 592h



Emissions 1.4g/kg



15

Zero clearance option



5.5mm heavy duty firebox



Log size to 300mm



kW Rating 12.8kW

# WHAT YOU WILL NEED

#### INBUILT MASONRY CAVITY INSTALL

6" 4M Inbuilt Flue Kit SCFK64MINB

#### INBUILT TIMBER STUD CAVITY INSTALL

Zero Clearance Box SG010400052

Triple Skin Zero Clearance Flue Kit SCFKZCB06

#### **ROOF FLASHING OPTIONS**

Metal Roof Flashing FF036
Tile Roof Flashing FF037

#### CONSUMABLE ITEMS

 Firebrick Set
 \$G030600024

 Baffle
 \$G030700263

 Brick Retainer
 \$G030700269

 Door Assembly
 \$G030700825

 Rope Seal
 \$G030300005

#### FASCIA DIMENSIONS

Mid-mount 769w x15d x 649h
Floor-mount 769w x 15d x 629h

#### HEARTH OPTIONS:

Matt Black Inbuilt Hearth Pad SG040100015 1050w x 550d x 30h



Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

# **MUST HAVES**

 $Complete \ your \ setup \ with \ a \ comprehensive \ range \ of \ Forge-designed \ fireside \ accessories, \ cleaning, \ and \ maintenance \ products.$ 



Forge Geo Flex Wood Storage



Forge Classic Fire Tool Set



Forge Rope Seal Kit



Forge Fireplace Gloves



# Sorrento



# Sorrento

Enhance your home with a beautifully crafted, elegant Kalora Sorrento.

Inspired by winter's spent on the Mornington Peninsula, Sorrento embodies the "heart of the home" philosophy with beach side themed flame media encased in an expansive firebox lined with high gloss reflective panels, a glass primary shield and framed in your choice of a beautiful black or (optional) stunning stainless one piece fascia.

Engineered to a precise specification this space heating appliance comes with a fully programmable remote control, is 4 star rated and offers four alternative burn media options.

#### THE BENEFITS

1

#### **ENJOY THE CONVENIENCE**

With just the press of a button you can easily ignite, control and program the flames.



#### CHOOSE YOUR MEDIA

Customise the media inside the Sorrento to suit your home, style and design



#### **ENHANCED AIR CIRCULATION**

The dual multi-speed fans ensure efficient distribution of heat, maximizing comfort and even heating.

#### **TECHNICAL SPECIFICATIONS**

兪

Heat up to 90m<sup>2</sup>



Black & stainless fascia options



Average efficiency 79%



To suit mid or floor mount install



4 decorative media options



Thermostatic control (7 day programming)



Heater: 672w x 480d x 592h



High gloss reflective firebox liners



Dual multi speed fans



Gas log fire



Ten year firebox warranty



Remote control (Included with appliance)

## **CHOOSE YOUR FASCIA**



Beautiful Black Fascia (included)



Stunning Stainless Fascia (optional)

#### **CHOOSE YOUR MEDIA**

With Sorrento's range of options you can create a truly personal statement customised by you and tailored to your own individual taste.



**Driftwood, pebbles and glass** (Included)



Pebbles and glass



Driftwood, pebbles and coal effect



Pebbles and coal effect



# Zenith



# Zenith

Discover the epitome of warmth and style with the Zenith Electric Flame Effect Fireplace from Kalora.

Elevate your space with versatile installation options: front mount, 2 side corner mount, or 3-sided mount.

Boasting 1500W heating power, WiFi app control, and customizable flame settings, it's where modern convenience meets Kalora's timeless cosiness.

## THE BENEFITS

3 DIFFERENT MOUNTING OPTIONS
Choose 1, 2 or all 3 sides of the
Zenith exposed for a greater ambient
experience by removing the left, right
or both side panels.



**3 AESTHETIC APPEAL**The trueFLAME log & coal setting creates a realistic fireplace ambiance, adding warmth and character to your living space.

# **TECHNICAL SPECIFICATIONS**

Wifi app control & Remote control

3 flame flicker speeds

Flame colour adjustment

Flame brightness setting

↑ 750W or 1500W heating capacity

□ Stylish contemporary design

Realistic trueFLAME log & coal setting

5 sizes to choose from

2 Two year warranty

Safety over temperature cut-out

3 installation options
(front, 2-side corner or 3-sided moun

| | Electric flame effect

#### **CHOOSE YOUR SIZE**



Zenith 36" Zenith 42"





iith 42" Zenith 60"



Zenith 72"



Zenith 88"



# Nexus



# **Nexus**

Transform your space with Kalora's Nexus Electric Flame Effect Fireplace, a fusion of elegance and innovation.

Seamlessly sync with Google and Alexa for smart home control. Choose between 750W or 1500W heating options, creating a cosy haven. Its refined design and versatile installation, whether recessed or wall-mounted, make it an exquisite focal point.

#### THE BENEFITS

1

#### PERSONALISED AMBIENCE

With 13 flame and fuel bed color options, you can tailor the ambiance to suit any mood or space.



#### SAFETY FIRST

The cool-to-touch toughened glass feature ensures safety even with extended use,



#### PEACE OF MIND

2-year warranty means your investment is backed by reliable performance and durability.

#### **TECHNICAL SPECIFICATIONS**



Wifi app control & Remote control



13 flame and fuel bed colour options



Flame illumination with energy-efficient LED technology



750W or 1500W heating options



Elegant focal point with balanced proportions



Seamlessly integrate with Google and Alexa for smart home control



Cool-to-touch toughened glass ensures safety



grass crisares sarety



2

Two year warranty



Overheat protection for added safety



Set a timer for 1-9 hours



4 sizes to choose from

# **CHOOSE YOUR SIZE**








Nexus 50"





Nexus 60"




Nexus 74"










	Α	В	С	D	E	F	G	Н	ı	J	K	L
Kalora 425R	500	735	120	470	625	470	275	350	745	1005	385	1115
Kalora Chalet 5	595	724	173	509	475	298	125	450	900	1075	225	1175
Kalora Chalet 6	695	767	186	569	500	311	125	500	1000	1195	300	1370
Kalora 500C	672	720	197	490	250	347	150	450	900	1070	100	1020
Kalora 600C	772	792	205	560	250	355	150*	300	1000	1000	100	950
Kalora 500BX	672	852	197	490	250	347	150	450	900	1070	100	1020
Kalora 600BX	772	890	205	565	250	355	* 150	300	1000	1000	100	950
Kalora Fusion	650	860	120	609	400	290	170	300	818	994	200	1024
Kalora Urban PT	1097	518	292	586	500	402	150	300	805	740	350	1155
Kalora Urban LS	950	828	295	586	550	555	300	600	1175	1100	n/a	n/a

# Inbuilt

# Unit Size and Clearances (mm)




Kalora Accent	672	167	769	649	495	480	592	1330	1160	70	250	45	45	550	30
Kalora Urban LS	1078	341	1035	592	617	579	562	See user manual for details							
Kalora Urban PT	646	335	605	805	613.56	579	778.5	See user manual for details							
Kalora Sorrento	1235	175	1245	620	450	440	790			See us	er manu	al for de	tails		

<sup>\*</sup> When installed with an additional 900mm x 180° stainless steel flue shield between the active flue and decorative mesh casing.

Illustrations and photos reflect typical installations and are for design purposes only. Illustrations/diagrams are not drawn to scale. Actual product may vary from pictures in brochure.

Inbuilt Wood Heaters in a masonry fireplace MUST be fully flued as per recommendations from a qualified installer. Inbuilt Wood Heaters in a timber-frame MUST be installed with a Clearance Box.



#### Kalora appliance comparison chart

	Part no	Heating capacity	Emissions	Efficiency	Peak kW rating	Net Weight	Gross weight	Packaged W x D x H
Kalora 425R	KA425R	140m²	1.5g/kg	63%	15.6kW	95kg	109kg	585 x 585 x 870
Kalora Chalet 5	SG010100019	200m²	1.1g/kg	67%	7.9kw	118kg	133kg	710 x 610 x 868
Kalora Chalet 6	SG010100020	300m²	1.3g/kg	62%	10.1kw	148kg	168kg	810 x 675 x 905
Kalora 500C	KA500C	200m²	1.1g/kg	67%	7.9kW	137kg	156kg	780 x 645 x 880
Kalora 600C	KA600C	300m²	1.3g/kg	62%	10.1W	175kg	200kg	885 x 710 x 965
Kalora 500BX	KA500BX2	200m²	1.1g/kg	67%	7.9kW	160kg	179kg	780 x 650 x 1010
Kalora 600BX	KA600BX2	300m²	1.3g/kg	62%	10.1kW	205kg	220kg	890 x 710 x 1075
Kalora Fusion	KAF50	200m²	-	-	-	231kg	251kg	770 x 710 x 1070
Kalora Urban PT	SG010100016	200m²	0.5g/kg	68%	7.3kw	183kg	198kg	633 x 633 x 1152
Kalora Urban LS	SG010100006	250m²	0.7g/kg	61%	9.0kw	208kg	223kg	1065 x 715 x 895
Kalora Accent	Accent	280m²	1.4g/kg	61%	12.8kW	133kg	150kg	595 x 850 x 815
Kalora Sorrento	KAGAS10	90m²	-	79%	-	90kg	110kg	1350 x 585 x 1000

#### PLEASE NOTE

It is COMPULSORY to have your heater installed by a qualified person whose work conforms to Australian standards, local council regulations and manufacturer's recommendations. Your warranty and any home insurance may be void, on failure to do so.





# forge BY O KALORA

**FIRE TOOLS** 

**WOOD STORAGE** 

**HEARTH PADS** 

MAINTENANCE


**CLEANING** 

**FLUE KITS** 


**INSTALLATION ESSENTIALS** 







FLS006 Zero 1000 (Corten) (1000mm in Diameter)



FLS015 Urban Steel XL 1500 (1500mm H x 255mm D x 550mm W)



FLS011 Oblique (500mm W x 700mm H x 300mm D)



FLS008 GeoFlex (560mm H x 250mm D x 680mm W)



FLS005 Zero 1000 (Black) (1000mm in Diameter)







FLS002 Hexagon 500 (575mm W x 400mm D x 490mm H)



FLS013 Extendable Outdoor Wood Storage (Base Kit) (1220mm W x 350mm D x 1220mm H)



FLS004 Extender Outdoor Storage (1m Extension Kit)



FLS001 Hexagon 850 (Corten) (850mm W x 700mm D)



FFT28BS Hinterland - Fire Tool Set & Wood Storage







FFT85S Valyrian Fire Tool Set



FFT69BE Iron Grey Fire Tool Set



FFT173S Ellipse Fire Tool Set



FFT104B Mahogany Fire Tool Set



FFT175B Heritage Fire Tool Set







SG010400043 Forge Dry Glass Cleaner (Pack size 16)



SG050500001 Senotherm Metallic Black High Temp Paint 400g (Sold in Pack size 6)



SG050100002 Forge Easy Soot Flue Cleaner (3 pack 50g / Pack size 12)



SG050600009 Forge Gloves (Pack size 12)



SG010400037 Forge Exo Fan - Thermal Powered (Pack size 4)

#### **Accessories**





FFB304 6" Pull through flue brush - 10m rope



FFB301 6" Flue brush kit - 5m extension



SG050600008 Air-Set Fireplace Mortar 1 litre tub (Pack size 6)



SCX520 Kalora Fusion - Hot Water Jacket



SG050600007 Forge Moisture Meter (Pack size 12)



SG031000118 Forge Gasket Adhesive & Sealant 75g Tube (Pack size 12)



### **Hearths and Guards**




FHPT105 (1050 x 1050) FHPT105120 (1050 x 1200) - FHPT120 (1200 x 1200) Matte black straight wall hearth



FHPT125C (1250 x 1250) FHPT1425C (1425 x 1425) Matte black corner wall hearth




FCCG001B Small Safety Guard (1080w x 1055d x 800h)



FCCG003B Large Safety Guard (1275w x 1275d x 800h)



FCG001BC Small Corner Safety Guard (1890w x 650d x 800h)



FCG003BC Large Corner Safety Guard (2050w x 720d x 800h)







FFK64M2 Default black mesh flue kit

SG010400034 Default matte black flue kit

Includes: 2x Internal black mesh or matte black flue extensions; 1x Ceiling collar; 1x Dropbox; 1x External flue extension; 1x Anti-downdraft cowl & cone.



FF902 1m External Triple Skin Extension Kit



FF022 6" Anti-downdraft Cowl & Cone



FF901 1mtr Internal black mesh extension

SG010400035 1mtr Internal matte black extension



SG020100011 Insulated flue kit



FF012 1m 6" Stainless Steel Flue



SCF0712 Floor Penetration Box



#### **Installation Essentials**



FF015 10" Galvanised Casing



FF056 8" Black mesh 1m w/tabs and heat shield



SCF904 Internal 45 Degree Black Mesh Bend Kit Left Hand



SCF906 Internal 45 Deg Black Mesh Bend Kit Front



Internal 45 Degree Black Bend Kit Left Hand

SCF910 Internal 45 Deg Black Bend Kit Right Hand

SCF911 Internal 45 Deg Black Bend Kit Front

SG010400029 Internal 45 Degree Black Bend Kit Rear





SG010400031 External 45° Bend Kit (Triple Skin)




SCF087 Adjustable Ceiling / Wall Plate (Matte Black)



## **Installation Essentials**



SG010400030 1x 45 Degree Flue Bend Stainless Steel



SCF094 10" Ceiling Collar (Matte Black)



SCF0171 Flexi Flue 6" (Sold by the Metre; Max 5 meters)



SCF0172 Flexi Flue 6" Adaptor



FF036 Iron Roof Flashing 171mm - 381mm (Pack size 10)



FF037 Tile Roof Flashing 10" (Pack size 5)



## **Installation Essentials (Gas)**



DV911 Direct vent gas flue 275-370mm



DV906 Direct vent gas flue 300mm



DV904 Direct vent gas flue 600mm



DV903 Direct vent gas flue 900mm



DV945G Direct vent gas 45° elbow galvanised



DV990G Direct vent gas 90° elbow galvanised



DV984
Direct vent gas horizontal termination



DV991 Direct vent gas high wind vertical termination



# **Spare Parts**





PART NUMBER	DESCRIPTION	Pack Size
SG030300001	Rope Seal 6mm - 2m length	12
SG030300002	Rope Seal 9mm - 2m length	12
SG030300003	Rope Seal 12mm - 2m length	12
SG030300004	Rope Seal 15 x 10mm - 2m length	12
SG030300008	Rope Seal 15mm - 2m length	12
SG030300005	Rope Seal 18mm - 2m length	12
SG030300006	Rope Seal 20mm - 2m length	12
SG030300007	Rope Seal - 25mm - 2m length	12
SG030400002	Glass Seal - 20mm - 2m length	12
SG030400001	Glass Seal - 25mm - 2m length	12



PART NUMBER	DESCRIPTION	Pack Size
SG030600025	Forge Firebricks FB09 200x145x25	10
SG030600026	Forge Firebricks FB15 250x145x25	10
SG030600027	Forge Firebricks FB16 255x160x25CH	10
SG030600031	Forge Firebricks FB19 270x185x25	5
SG030600028	Forge Firebricks FB21 285x175x25	5
SG030600029	Forge Firebricks FB41 230x115x25	10
SG030600030	Forge Firebricks FB42 230x115x38	5
FB22	Forge Firebrick 220x170x25	10
FB06	Forge Firebrick 190x178x25	10
FB64	Forge Firebrick 200x156x25	10

#### PROFESSIONAL INSTALLATION

It is a requirement that all Kalora solid fuel and gas appliances are fitted by a qualified, licensed installer whose work complies with local council regulations, Australian standards and manufacturer's specifications. Failure to correctly install is extremely dangerous, will void any warranty claims and may compromise any future insurance claims.

Distributed by Kalora Pty Ltd

58 Access Way, Carrum Downs, 3201

03 8579 5905

Orders: orders@kalora.com.au

Service Inquiries: service@kalora.com.au

kalora.com.au

Due to our policy of continuous improvement of our products and services, technical specifications and claims, correct at the time of going to print, may be subject to variation without prior notice. Kalora has endeavoured to ensure that the information in this document is correct and fairly stated, but does not accept liability for any error or omission.

Kalora Pty Ltd accepts no liability whatsoever for their interpretation of AS/NZS 2918-2001. AS/NZS 4012-4013. All heating capacities quoted are based on units tested with quality hardwood. Minimal performance reduction may result due to large glassed areas, vaulted ceilings, draughts or insufficient insulation. We reserve the right to alter specifications without

notice. The images depicted in this brochure are digitally produced for display purposes only and are not representative of the standard required to meet warranty specification. The effectiveness and performance of the overnight burning is influenced significantly by individual installation and environmental conditions and the quality of fuel used.

