IGNITE XL

ELECTRIC FIREPLACE

CAPTURING THE CHARM AND AMBIENCE OF A REAL FIRE

REAL FLAME

IGNITE XL 50" | 74" | 100"

Edgeless Design
Installs without trim to stone, brick and other solid finish materials; includes trim for plaster and tile surfaces

Flexible installation
Accessible to all consumers – home-owners, renters, and commercial clients

Built-in Touch Controls
Backlit controls are hidden when not in use

Acrylic Ice Media Bed
Light plays through different size pieces and sparkle in a spectrum of colors

Year-Round Comfort
Flame with or without warmth, max 2kW heat output with thermostat control.

'Plug and play'
Surface mounted (plug-in) installation

Mood-maker Remote
Customise the light color and intensity for a fireplace that reflects your personality

Media Accent Colors
Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode.

MINIMUM FRAMEOUT DIMENSIONS

Plaster to edge of opening

A
B
Opening
C
D*

MODEL	A	B	C	D
XLF50	406	1287	160	600
XLF74	406	1897	160	600
XLF100	406	2557	160	600

*D has no minimum, these measurements are for ideal viewing only

UNIT DIMENSIONS

MODEL	H	I	J	K	L	M	N
XLF50	419	1306	1278	381	402	110	147
XLF74	419	1915	1887	381	402	110	147
XLF100	419	2576	2548	381	402	110	147

IGNITE XL 50" INSTALLATION KIT

WALL MOUNT ENCLOSURE

UNIT DIMENSIONS

MODEL	A	B	C
XLF50IK	174	402	1297

OPTIONAL ACCESSORIES

LF50DWS-KIT
Includes loose river rock, one large and one small piece of driftwood.

LF74DWS-KIT
Includes loose river rock, one small and two large pieces of driftwood.

Compatible with all XLF models

WARRANTY

2 Years limited warranty

Note: The dimension are a guide only. Please refer to the installation manual supplied with the fire for detailed specifications and accurate manufacturer's recommendations.

IgniteXL™ is more lifelike and visually stunning than anything that came before it. With patented flame and heat technology. Enjoy the flawless panaramic views that ignite the senses from any angle, transforming the look and feel of any room.

The on-wall mounting is the alternative solution to recessed installation and ideal for rental properties or wall with shallow depths. The fully black powder coated solid steel surround will give an elegant finish to the room.

REAL FLAME

Glen Dimplex Australia Pty Ltd
8 Lakeview Drive,
Scoresby, VIC 3179
T   1300 554 155
E   flame.care@glendimplex.com.au

GlenDimplex Australia

Glen Dimplex New Zealand Ltd
PO Box 58473, Botany, Auckland
T   0800 666 2824
E   info@realflame.co.nz
realflame.co.nz

GlenDimplex New Zealand

Authorised Real Flame Dealer